

just pure water



Pure Water Wash Systems for
glass, facades and solar panels
Low and high pressure units
Ergonomic carbon poles
High Pressure Wash Drones



CARBON POLES TREND LINE 35 AND 45

Baudoin Wash Systems Industry develops efficient ergonomic carbon wash poles, brushes and accessories. The Trend Line 35 and 45 are proven, solid carbon poles, which are easy to connect due to the simple connection. The Trend Line 35 has a diameter of 35 mm and a length of 150 cm and can be used up to a height of approx. 10 meters and the Trend Line 45 has a diameter of 45 mm and a length of 170 cm and can be used up to a height of approx. 13.5 meters in total length. The teardrop shape of the poles offers an excellent grip. In addition, you only lift the length of poles that you need at that moment, in contrast to the telescopic poles.



**Trend Line 35 carbon pole set 9 meter
- 5x 150 cm
- 1x 120 cm with protective rubber cap**

| | |
|---|-------------------------|
| MODEL Trend Line 35 carbon pole set, Weight 2,0 kg | ART. 15.00007 |
|---|-------------------------|

Trend Line 35 carbon extend pole 150 cm


| | |
|--|-------------------------|
| MODEL Trend Line 35 carbon 150 cm pole Weight 335 gr. | ART. 15.00001 |
|--|-------------------------|

**Trend Line 35 carbon extend pole
120 cm with protective rubber cap**

| | |
|--|-------------------------|
| MODEL Trend Line 35 carbon 120 cm pole Weight 290 gr. | ART. 15.00002 |
|--|-------------------------|

**Trend Line 35 carbon extend pole
60 cm with protective rubber cap**

| | |
|---|-------------------------|
| MODEL Trend Line 35 carbon 60 cm pole Weight 209 gr. | ART. 15.00030 |
|---|-------------------------|



**Trend Line
Carbon grip short**
with protective rubber cap

| | |
|--|-------------------------------------|
| MODEL Trend Line 35 carbon grip short, weight 130 gr. Trend Line 45 carbon grip short, weight 210 gr. | ART. 15.00003 20.00003 |
|--|-------------------------------------|

**NEW!
X-Tend Line
angle adapter**

X-Tend Line angle adapter
35°, 15 cm
with protection neoprene,
to prevent damage

| |
|-------------------------|
| ART. 45.00076 |
|-------------------------|



Trend Line to X-Tend Line adapter

Trend Line 5 cm adapter, on 28 cm carbon bottom part
for Baudoin X-Tend Line accessories

| | |
|--|-------------------------------------|
| MODEL Trend Line 35 - X-Tend adapter, weight 170 gr. Trend Line 45 - X-Tend adapter, weight 220 gr. | ART. 80.00022 20.00033 |
|--|-------------------------------------|



**Trend Line 45 carbon pole set 13,4 meter
- 7x 170 cm
- 1x 120 cm with protective rubber cap**

| | |
|---|-------------------------|
| MODEL Trend Line 45 carbon pole set, Weight 4,3 kg | ART. 20.00007 |
|---|-------------------------|

Trend Line 45 carbon extend pole 170 cm


| | |
|--|-------------------------|
| MODEL Trend Line 45 carbon 170 cm pole Weight 555 gr. | ART. 20.00001 |
|--|-------------------------|

**Trend Line 45 carbon extend pole 120 cm
with protective rubber cap**

| | |
|--|-------------------------|
| MODEL Trend Line 45 carbon 120 cm pole Weight 430 gr. | ART. 20.00002 |
|--|-------------------------|

**Trend Line 45 carbon extend pole 60 cm
with protective rubber cap**

| | |
|---|-------------------------|
| MODEL Trend Line 45 carbon 60 cm pole Weight 250 gr. | ART. 20.00035 |
|---|-------------------------|



White Half Round Brush, 28 cm

| MODEL | ART. |
|--------------------------------------|----------|
| X-Tend Line, 7 cm arm, Pro nipple | 45.00026 |
| X-Tend Line, 15 cm arm, Pro nipple | 45.00052 |
| Trend Line 35, 7 cm arm, Pro nipple | 15.00018 |
| Trend Line 35, 15 cm arm, Pro nipple | 15.00020 |
| Trend Line 45, 7 cm arm, Pro nipple | 20.00020 |
| Trend Line 45, 15 cm arm, Pro nipple | 20.00022 |



Soft Blue Half Round Brush, 28 cm

| MODEL | ART. |
|--------------------------------------|----------|
| X-Tend Line, 7 cm arm, Pro nipple | 45.00050 |
| X-Tend Line, 15 cm arm, Pro nipple | 45.00051 |
| Trend Line 35, 7 cm arm, Pro nipple | 15.00036 |
| Trend Line 35, 15 cm arm, Pro nipple | 15.00037 |
| Trend Line 45, 7 cm arm, Pro nipple | 20.00040 |
| Trend Line 45, 15 cm arm, Pro nipple | 20.00041 |



White Windowsill Brush, 28 cm

| MODEL | ART. |
|--------------------------------------|----------|
| X-Tend Line, 15 cm arm, Pro nipple | 45.00066 |
| X-Tend Line, 22 cm arm, Pro nipple | 45.00016 |
| Trend Line 35, 15 cm arm, Pro nipple | 15.00034 |
| Trend Line 35, 22 cm arm, Pro nipple | 15.00035 |
| Trend Line 45, 15 cm arm, Pro nipple | 20.00038 |
| Trend Line 45, 22 cm arm, Pro nipple | 20.00039 |



White Brush, 28 cm

| MODEL | ART. |
|--------------------------------------|----------|
| X-Tend Line, 7 cm arm, Pro nipple | 45.00018 |
| X-Tend Line, 15 cm arm, Pro nipple | 45.00020 |
| Trend Line 35, 7 cm arm, Pro nipple | 15.00032 |
| Trend Line 35, 15 cm arm, Pro nipple | 15.00033 |
| Trend Line 45, 7 cm arm, Pro nipple | 20.00036 |
| Trend Line 45, 15 cm arm, Pro nipple | 20.00037 |



Soft Sponge With Velcro Holder, 25 cm

| MODEL | ART. |
|--------------------------------------|----------|
| X-Tend Line, 7 cm arm, Pro nipple | 45.00033 |
| X-Tend Line, 15 cm arm, Pro nipple | 45.00035 |
| Trend Line 35, 7 cm arm, Pro nipple | 15.00024 |
| Trend Line 35, 15 cm arm, Pro nipple | 15.00026 |
| Trend Line 45, 7 cm arm, Pro nipple | 20.00026 |
| Trend Line 45, 15 cm arm, Pro nipple | 20.00028 |



White Brush, 20 cm

| MODEL | ART. |
|--------------------------------------|----------|
| X-Tend Line, 7 cm arm, Pro nipple | 45.00022 |
| X-Tend Line, 15 cm arm, Pro nipple | 45.00024 |
| Trend Line 35, 7 cm arm, Pro nipple | 15.00014 |
| Trend Line 35, 15 cm arm, Pro nipple | 15.00016 |
| Trend Line 45, 7 cm arm, Pro nipple | 20.00016 |
| Trend Line 45, 15 cm arm, Pro nipple | 20.00018 |



Soft Blue Brush, 20 cm

| MODEL | ART. |
|--------------------------------------|----------|
| X-Tend Line, 7 cm arm, Pro nipple | 45.00062 |
| X-Tend Line, 15 cm arm, Pro nipple | 45.00064 |
| Trend Line 35, 7 cm arm, Pro nipple | 15.00038 |
| Trend Line 35, 15 cm arm, Pro nipple | 15.00041 |
| Trend Line 45, 7 cm arm, Pro nipple | 20.00042 |
| Trend Line 45, 15 cm arm, Pro nipple | 20.00046 |



Hard Red Brush, 20 cm

| MODEL | ART. |
|--------------------------------------|----------|
| X-Tend Line, 7 cm arm, Pro nipple | 45.00072 |
| X-Tend Line, 15 cm arm, Pro nipple | 45.00080 |
| Trend Line 35, 7 cm arm, Pro nipple | 15.00039 |
| Trend Line 35, 15 cm arm, Pro nipple | 15.00042 |
| Trend Line 45, 7 cm arm, Pro nipple | 20.00044 |
| Trend Line 45, 15 cm arm, Pro nipple | 20.00047 |



Pad Holder, 23 cm

| MODEL | ART. |
|---------------------------|----------|
| X-Tend Line, Pro nipple | 45.00037 |
| Trend Line 35, Pro nipple | 15.00040 |
| Trend Line 45, Pro nipple | 20.00043 |



Hand Brush With Pro nipple

| MODEL | ART. |
|--|----------|
| Carbo Clean Pole hand brush with water throughput and Pro nipple | 50.00009 |



Vertical Hinged White Half Round Brush, 28 cm

| MODEL | ART. |
|---------------------------|----------|
| X-Tend Line, Pro nipple | 45.00031 |
| Trend Line 35, Pro nipple | 15.00022 |
| Trend Line 45, Pro nipple | 20.00024 |

Carbon Pole Trolley

With 9 positions, incl. promotion panel for your own logo

| MODEL | ART. |
|---|----------|
| Box size 83,5 x 24 x 24 cm Empty weight 8,2 kg | 10.00077 |



Hose

Blue flexler work hose 6x10 mm. (available in any desired length).

| MODEL | ART. |
|---|----------|
| 10 Meter, Pro nipple and coupling, 995 gr. | 10.00062 |
| 15 Meter, Pro nipple and coupling, 1395 gr. | 10.00064 |
| 20 Meter, Pro nipple and coupling, 1795 gr. | 10.00066 |

Blue Spraygun

With protection and variable water jet, on/off and volume control. Control by lever operation with thumb.

| MODEL | ART. |
|---------------------|----------|
| Pro nipple, 325 gr. | 95.00904 |






Glass cleaning with Wash Drones



Cladding cleaning with Wash Drones

WASH DRONES WITH PURE WATER SYSTEMS



Cleaning buildings constructed under architecture with Wash Drones



Solar Panel cleaning with Wash Drones



Complete pure water cleaning system build in van or trailer



Baudoin Wash Drone 1.65
Max. allowed take-off weight: 15,8 kg



Baudoin Wash Drone 2.6
Max. allowed take-off weight: 58 kg



Baudoin Wash Drone 3.0
Max. allowed take-off weight: 95 kg



Wash Drone Landing Platform

Lightweight Drone Hoses

Special Carbon DN6, Blue, Stainless steel M22 nipple and coupling for Wash Drone.
Max. 60 °C and 200 bar.

| MODEL | ART. |
|--|----------|
| 30 M, weight incl. couplings and water 3.9 kg. | 35.00009 |
| 50 M, weight incl. couplings and water 6.5 kg. | 35.00008 |

Industrial Drone Hoses

DN6, Black, Stainless steel M22 nipple and coupling for Wash Drone.
Max. 100 °C and 300 bar.

| MODEL | ART. |
|--|----------|
| 30 M, weight incl. couplings and water 5.1 kg. | 35.00034 |
| 50 M, weight incl. couplings and water 8.5 kg. | 35.00035 |



Complete Mapping Drone set with 3D camera for inspection, mapping, M² calculations



Baudoin Clean Force Cleaning Products

Baudoin Clean Force Cleaning Products


For every cleaning challenge a solution.

| PRODUCT | ART. |
|---|----------|
| CF 740 Shampoo & Protection ECO self-drying, concentrate, can 5 liter | 90.00082 |
| CF 755 Ultimate Heavy Duty Cleaner and Degreaser ECO, concentrate, can 5 liter | 90.00078 |
| CF 625 Heavy Duty Force Cleaner. Super concentrated cleaner for extremely greasy contamination in industry. | 90.00090 |
| Can 5 liter | 90.00089 |
| Can 23 kg | 90.00089 |
| CF 682 Iron Cleaner, gel, concentrate, can 4,5 liter | 90.00091 |

Stainless steel 316 High Pressure Pumps

With automatic start/stop for Wash Drones

| MODEL | ART. |
|---|----------|
| Pumpset 11 l/min, 230V, 30-100 bar, 2,2kW | 40.00021 |
| Pumpset 11 l/min, 400V, 30-140 bar, 3kW | 40.00019 |
| Pumpset 15 l/min, 400V, 30-150 bar, 4kW | 40.00020 |
| Pumpset 15 l/min, 400V, 30-200 bar, 5,5kW | 40.00022 |



Wash Drone practical training and theory A1/A2/A3, Specific incl. STS, PDRA and SORA, with exam.



Application accessories Clean Force Products with Wash Drone

Remote control, Foam nozzle and Tank reservoir for Clean Force Products

| PRODUCT | ART. |
|--|----------|
| Remote Control for switching on and off the water supply and chemicals | 35.00057 |
| Foam nozzle head incl. chemical injector with variable chemical dosage | 35.00055 |
| Wash Drone chemical tank 30 liter | 35.00080 |

RTK ground station

For accurate positioning determination via satellite. Included with all Wash Drones

| PRODUCT | ART. |
|---|----------|
| Transport box for RTK-3 with shock resistant foam | 35.00096 |



www.baudoin.com



WASH SYSTEMS WITH LOW AND HIGH PRESSURE



Complete wash systems for vans and trailers:

- 1 or 2 person version
- PE tank 660, 880 or 1100 liter till 50 degrees Celsius, with water stabilizer bulkheads and frame on top for all components
Optional: custom made tanks (bigger or smaller) and PP isolated tanks for max. 60 degrees Celsius.
- Standard low pressure pumps 10 bar, 24V, variable water flow 100-250 liter/hour
Optional: (stainless steel) high pressure pumps
- Stainless steel hose reels for 90 meter blue flex hose 10x15,5 mm with pro coupling
Optional: electric driven hose reel
Optional: 100 meter blue flex high pressure hose, 250 bar, 8x14 mm with M22 coupling
- Siemens 4" touchscreen control panel in stainless steel box for operating pumps, reading water level, low water level protection and low battery voltage protection.
Optional: Siemens 7" touchscreen control panel
- Lithium battery 200Ah, 25,6V, low weight 39kg, in PE black box
- Battery charger 24V, 230V. Incl. battery management control system.
Optional for Aqua Heating or electric hose reel: converter 1600W or 3000W
- Power group with 2 sockets and automatic fuse
- Self-retracting power cable reel 17 meter 3x2,5mm², 230V
- Optional: Self-retracting stainless steel power cable reel 20 or 30 meter 3x2,5mm², 230V
- Optional: Self-retracting stainless steel power cable reel 30 meter 5x2,5mm², 400V

Extra Options:

- Baudoin 450 or 850 Pure Water Filter Unit for pure water filtration
- Baudoin Aqua Heating ECO unit for hot water:
25 kW for 20-45 degrees Celsius
38 kW for 30-60 degrees Celsius
- Floor and wall coating for protection of van or trailer
- Custom made storage rack for washing poles
- LED lightning in white and blue



880 liter for vans. Hose reels via side door



| SYSTEM | ART. |
|--------------------------------|----------|
| Low Pressure 660 liter | 10.00008 |
| Low Pressure 880 liter | 10.00007 |
| Low Pressure 1100 liter | 10.00006 |
| Low & High Pressure 880 liter | 10.00014 |
| Low & High Pressure 1100 liter | 10.00013 |



Baudoin Aqua Heating Unit Eco for hot water

Washing with heated water can save up to 40% time and in most cases no need for chemicals. When using the heater, the entire tank is heated and the heater switches off when the desired temperature is reached, resulting in low diesel/HVO100 fuel and electricity consumption 230V. The silent Aqua Heating ECO unit has no soot emissions and low maintenance.

Operation via Siemens touch screen control panel.

NEW!

| SYSTEM | ART. |
|--|----------|
| Baudoin Aqua Heating ECO Unit medium, for water until 45 degrees Celsius | 70.00050 |
| Baudoin Aqua Heating ECO Unit pro, for water until 60 degrees Celsius | 70.00058 |

Baudoin Rotating Wash Brush In combination with the stainless steel High Pressure Pump

For cleaning glass, glass rooftops, facades and solar panels in combination with high pressure.
Water pressure: min. 100 bar / max. 160 bar
Water capacity: min. 7 l.min. / max. 11 l.min

| MODEL | ART. |
|---|----------|
| Rotating wash brush mounted on Trend 45 pole | 40.00001 |
| Rotating wash brush mounted on Trend 35 pole | 40.00002 |
| Thin DN5 carbon high pressure hose 10 meter with M22 connectors | 40.00003 |



Industrial stainless steel 316 High Pressure Pump

For cleaning glass, glass rooftops, facades and solar panels in combination with high pressure.

- 230V / 2200W
- Adjustable from 30-110 bar
- Av. capacity 11 l/min
- Work height up to 100m

| ART. |
|----------|
| 40.00021 |



BAUDOIN AQUA FORCE PURE WATER FILTER UNITS

Pure water is required to obtain a stripeless and shiny result. We develop and manufacture our own pure water filter units to high standards. Low-maintenance and easy-to-use units to fill your tank(s) with ultra-pure water. With a mobile unit you can work directly from the unit.



Baudoin Aqua Force Pure Water Filter Unit Compact 450

- Produces approx. 360 liters of pure water per hour
- Computer controlled, with flow meter
- Incl. pre-pressure pump, operating pressure approx. 4.5 bar
- Stainless steel frame 125x38x38 cm, approx. 65 kg

ART.
60.00103

Baudoin Aqua Force Pure Water Filter Unit Compact 850

- Produces ca. 850 L of pure water / hour
- Siemens Control 4" touch screen
- E-box is integrated in water filter unit
- Frequency driven pressure pump stainless steel
- Stainless steel frame 135x50x45 cm.
- Power 230 V / 2100 W - Ca. 100 kg.

ART.
60.00205



Baudoin Aqua Force Pure Water Filter Unit Compact 450 Mobile

- Placed on black PE base 70x135 cm
- Big blue Filter 10", 5 micron
- Incl. 4 clamps for 2 poles
- 2 solid black handles mounted on the water unit for transport
- Pre-filter holder big blue 10" with stainless steel mounting bracket
- 2 swivel and 2 fixed wheels stainless steel 200 mm
- 4 roll protection wheels on the 4 corners of the PE frame

MODEL

- Self-retracting stainless steel reel with 35 meters of blue work hose 10x15.5 mm
- Storage box PE black with lid

ART.

60.00122

- Stainless steel reel with 60 meters of blue reel hose 10x15.5 mm
- Baudoin DI Ultra Filter filled with resin for extra pure water, 19 liter

60.00129



Water Filter 20"

Complete pre filter 20" combination with holder and filtercartridge, carbon and 5 micron polyphosphate scale pre filter. This filter has an easy change bayonet connection with 3/4" outside thread and 2 control pressure gauges on water-inlet and water-outlet. Incl. 10" wounded filter 1 micron with holder.

MODEL

- Complete water filter 20" with carbon and 5 micron filter
- Refill filter 20" cartridge, with carbon and 5 micron filter
- Refill filter 20" cartridge, combi carbon and 5 my polyphosphate scale pre filter
- Refill filter 20" cartridge, 5 micron

ART.

60.00008

60.00019

60.00133

60.00018



Baudoin Aqua Force Pure Water Filter Unit Smart 400

Baudoin Aqua Force Pure Water Filter Unit Compact Smart 400. For approx 300-350 liter each hour, unit 850W, 230V. Stainless steel frame lxbxh 80x35x38 cm, weight approx 55 kg. Incl. stainless steel pump head and 5 meter power cable. 10 Mtr hose 12x19 mm. frontfilter 10"1 micron. Suitable for 1 person use and as mobile unit. Complete with 2 handles and 2 transport wheels.

ART.

60.00164

Contactless Payment system

Contactless payment terminal, to pay easily with debit card, credit card or your own prepaid EcoWash key. The perfect solution to allow your clients to fill up with pure water 24/7.



Pure Water Filtration Tank Stations

Tank station with Baudoin 450 or 850 pure water filter unit, water softener, DI tank for ultra pure water, pumps 40 till 60 liter/hour, 850/1350W and self-retracting hose reel with filling hose and tank pistol.



X-TEND LINE CARBON POLES

Baudoin carbon X-Tend Line poles are light, stable and very easy and quickly extendable for extra length. All the Baudoin X-Tend Line brushes can be easily attached to the pole through the special pole connector.
NEW all the X-Tend Poles are ANTI-ROTATING

X-Tend Line carbon telescopic extendable pole 2.1 meter with hand grip

Retracted: 1,18 meter. Extended: 2,12 meter
Pole Diameter: 34 mm. Weight: 0,65 kg
Sections: 2 - ANTI-ROTATING

MODEL
X-Tend Carbon Pole 2.1 Meter

ART.
45.00001

X-Tend Line carbon telescopic extendable pole 3.75 meters with hand grip

Retracted: 1,42 Meter. Extended: 3,75 Meter
Pole Diameter: 34 mm. Weight: 0,95 kg
Sections: 3 - ANTI-ROTATING

Optional for all models: X-Tend Line pole protection

MODEL
X-Tend Line carbon pole 3.75 meter

ART.
45.00055

X-Tend Line carbon telescopic extendable pole 5.8 meters with hand grip

Retracted: 1,65 meter. Extended: 5,80 meter
Pole Diameter: 38 mm. Weight: 1,5 kg
Sections: 4 - ANTI-ROTATING

MODEL
X-Tend Line carbon pole 5.8 meter

ART.
45.00003

X-Tend Line carbon telescopic extendable pole 7.25 meters with hand grip

Retracted: 1,68 meter. Extended: 7.25 meter
Pole Diameter: 42 mm. Weight: 1.98 kg
Sections: 5 - ANTI-ROTATING

MODEL
X-Tend Line carbon pole 7.25 meter

ART.
45.00079

X-Tend Line carbon telescopic extendable pole 10 meters with hand grip

Retracted: 1.97 meter. Extended: 10.00 meter
Pole Diameter: 45 mm. Weight: 2,65 kg
Sections: 6 - ANTI-ROTATING

MODEL
X-Tend Line carbon pole 10 meter

ART.
45.00004

X-Tend Line carbon telescopic extendable pole 13,5 meters with hand grip

Retracted: 2.25 meter. Extended: 13.50 meter
Pole Diameter: 50 mm. Weight: 3.7 kg
Sections: 7 - ANTI-ROTATING

MODEL
X-Tend Line carbon pole 13,5 meter

ART.
45.00005

BAUDOIN INDOOR CLEAN POLE

Award winning Indoor wash system for cleaning windows, ceilings, floors and stairwells. Suitable for materials like glass, natural stone, stainless steel, aluminium etc. The Indoor Clean Pole lightly mists the pure water and the microfibre pads absorb the dirt.

- leather belt
- battery with led indicator
- charger
- 12 V pump cabinet
- 500 ml bottle for pure water
- 10 glass pads
- extra bag for pads

ART.
55.00001

Indoor Extend Pole

150 cm long extension pole with integrated hose and couplings. Our Indoor Clean Poles can be build up to 10 m (up to 5 poles).

ART.
55.00002



Microfiber Glass Pad

26 cm wide pads for glass and mirrors.

ART.
55.00004

Microfiber heavy duty pad

26 cm wide pads for smooth surfaces.

ART.
55.00005

Dimensions and weights are subject to production differences and may deviate fractionally from the stated values.

Baudoin Wash-Systems b.v.
Gantelstraat 8
5145 PH Waalwijk
the Netherlands
+31 (0)416-695 095
info@baudoin.nl
www.baudoin.com

